

#### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN
Date of issue:
10 March 2025
Revision No.: 0
Revision Date: -

#### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Trade name: Silica fume MICROXIL

Silica fume MICROXIL+

**Chemical name:** Silica fume

**Synonyms:** MICROXIL, MICROXIL+, MX, MX+

Silica fume	EC No.	CAS No.	REACH Registration No.	Index No.
MICROXIL and MICROXIL+	273-761-1	69012-64-2	01-2119486866-0010	Not applicable

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses:

- for the production of refractory and heat-resistant materials,
- as an additive to silicon carbide (SiC) for the manufacture of kiln accessories,
- for surface protection against wear,
- for the production of special types of ceramics,
- as a raw material for clinker production in the cement industry,
- as an additive to putty for filling defects in wood, plaster, and walls, and in glass manufacturing,
- for the production of drilling products for shafts,
- for the manufacture of inorganic pigments,
- for the production of process aids used in the chemical industry,
- as an anti-caking agent in artificial fertilizers,
- for the production of seals, sealing inserts, and gasket materials,
- for the manufacture of elastomeric polymers, thermoplastics, and plastics,
- for the manufacture of putties, glues, and adhesives,
- for the production of thinners, detergents, and cleaning agents,
- for the production of basic metals, including alloys and plated alloys with chemical dyes,
- for own use by the operator product produced by remelting silica fume MICROXIL and MICROXIL+ as part of the charge in FeSi production.

## Non-recommended uses:

- does not meet the requirements of standards STN EN 13263-1+A1:2009 and STN EN 13263-2+A1:2009,
- contact with iron elements and structures.

#### 1.3 Details of the supplier of the Safety Data Sheet

**Manufacturer:** OFZ as

Address: Široká 381, 027 41 Oravský Podzámok, Slovakia

 Phone number:
 +421/43/5804 111

 Fax number:
 +421/43/5804 320

 E-mail:
 ofz@ofz.sk

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

 Telephone
 Fax
 Bank Account
 Reg. No.
 VAT No.
 e-mail

 +421 43 5804 111
 +421 43 5804 320
 SK4311000000002621706224
 36 389 030
 SK 2020131476
 ofz@ofz.sk

### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 **Revision Date: -**

#### 1.4 Emergency telephone number

The substance is not classified as hazardous, emergency call numbers are not required. However, in the event of an accident, call the local emergency line.

European emergency tel. number: 112

National Toxicological

Information Centre (Slovakia): +421 2 5477 4166 (24-hour consultation service)

#### 2. HAZARD IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### 2.1.1 Classification according to Regulation (EC) No. 1272/2008 (CLP)

Not classified.

#### 2.1.2 Additional information

Information not available.

#### 2.2 Label elements

Labeling is not required.

#### 2.3 Other hazards

The substance is not identified as a PBT (Persistent, Bioaccumulative and Toxic) or vPvB (very Persistent and very Bioaccumulative) substance according to the criteria set out in Annex VIII of the REACH regulation.

The substance does not contain any substances listed in the inventory compiled in accordance with Article 59(1) of the REACH Regulation that have endocrine-disrupting properties, nor is it identified as a substances with endocrine-disrupting properties according to the criteria established in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at concentrations of 0.1% or higher.

The substance is not classified as hazardous under the CLP Regulation (EC) No 1272/2008.

Long-term exposure may lead to adverse health effects and an increased risk of silicosis among workers.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Substance obtained as a by-product of the production of FeSi ferroalloy and Si metal.

**Purity:**  $SiO_2 \le 80\%$  w/w for MICROXIL,  $SiO_2 > 80\%$  w/w for MICROXIL+



### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 Revision Date: -

Component	CAS No.	EC No.	Concentration according to STN EN 13263-1:2005+A1:2009	Notes	
6:: 1::1- (6:0.)	7621.06.0	231-545-4	$\leq$ 80% w/w for MICROXIL		
Silicon dioxide (SiO2)	7631-86-9		> 80% w/w for MICROXIL+	-	
Elemental silicon (Si)	7440-21-3	231-130-8	≤ 1.0% w/w	-	
Free calcium oxide (CaO)	1305-78-8	215-138-9	≤ 3.5% w/w	-	
Sulfates (as sulfur trioxide, SO3)	7446-11-9	231-197-3	$\leq 4.0\% \text{ W/W}$	-	
Total alkali content (as sodium oxide equivalent, Na2O eq.)	1313-59-3	215-208-9	≤ 8.0% w/w	-	
Chlorides as (Cl <sup>-</sup> )	16877-00-6	690-375-2	≤ 1.8% w/w	-	

 $Na_2Oeq = Na_2O + 0.658 \times K_2O$ 

It does not contain any impurities relevant for classification and labelling.

#### 3.2 Mixtures

Not applicable.

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

General notes: In case of accidental exposure and symptoms, seek medical advice

immediately.

After inhalation: Mechanical irritation caused by dust in the respiratory tract. Remove the

affected person to fresh air. If the affected person is not breathing, provide

artificial respiration. Seek medical attention if any difficulties occur.

After skin contact: Wash the skin with water or mild soap.

After eye contact: Rinse eyes with water or physiological saline. If discomfort persists, seek

medical attention.

After ingestion: Unlikely. However, in case of ingestion, do not induce vomiting and seek

medical assistance immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

Long-term inhalation of dust from the substance may pose a health risk to humans. During handling, pouring, damage to the packaging, and subsequent release of the substance into the workplace environment, fine particles may become airborne, potentially causing a temporary exceedance of the occupational exposure limit (OEL). Prolonged exposure may pose a health hazard to workers and lead to the development of silicosis.

#### 4.3 Indication of any need for immediate medical attention and special treatment needed

No relevant information identified.

In case of doubt or if symptoms occur, seek medical advice.

Registration: Business Register, District Court of Žilina, Section: Sa, Insert No.: 10228/L

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

 Telephone
 Fax
 Bank Account
 Reg. No.
 VAT No.
 e-mail

 +421 43 5804 111
 +421 43 5804 320
 SK4311000000002621706224
 36 389 030
 SK 2020131476
 ofz@ofz.sk

### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 **Revision Date: -**

#### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

The substance is non-flammable, and its dust does not pose an explosion hazard.

Suitable extinguishing media: Not applicable. Unsuitable extinguishing media: Not applicable.

#### 5.2 Special hazards arising from the substance or mixture

Not applicable.

#### 5.3 Advice for firefighters

Not applicable.

#### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### **6.1.1** For non-emergency personnel

Isolate the hazardous area and prevent access.

Keep unprotected persons at a safe distance.

Wear appropriate PPE (see Section 8).

Ensure dust extraction and adequate ventilation.

In case of accidental release, leave the affected area and contact trained personnel.

### 6.1.2 For emergency personnel

Isolate the hazardous area and prevent access.

Keep unprotected persons at a safe distance.

Wear appropriate PPE (see Section 8).

Ensure dust extraction and adequate ventilation.

#### 6.2 Environmental precautions

Based on available studies, the substance does not pose a threat to the environment.

Prevent dispersion into the environment and release of material into soil, waterways, and sewage systems.

# 6.3 Methods and material for containment and cleaning up

#### **6.3.1 Containment**

Handle the substance in a way that minimizes dust generation.

Prevent dust dispersion.

Ensure dust extraction and adequate ventilation.

#### 6.3.2 Cleaning up

Collect dust into suitable closed containers.

Vacuuming is preferred over sweeping.

Thoroughly clean contaminated objects and surfaces in compliance with environmental regulations.

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

Bank Account

Reg. No. 36 389 030 VAT No.

e-mail

### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 **Revision Date: -**

#### **6.3.3 Other information**

Information not available.

#### 6.4 Reference to other sections

Handling information: see Section 7.

Information on combustion products: see Section 5. Information on incompatible materials: see Section 10.

Information on personal and environmental protection: see Sections 8, 12 and 13.

#### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

#### Safety measures:

Ensure dust extraction and adequate ventilation.

Handle the substance in a way that minimizes dust generation.

Prevent accumulation and dispersion of dust during handling.

Wear protective clothing, gloves, and safety goggles, as well as appropriate respiratory protection (see Section 8).

### **Environmental protection measures:**

Collect any spilled dust into closed containers.

Prevent dispersion into the environment and release of material into soil, waterways, and sewage systems.

Dispose of in accordance with locally approved regulations.

## Hygiene measures:

Do not eat, drink, or smoke while handling the substance.

Wash thoroughly after handling.

Remove contaminated clothing and PPE before entering dining areas.

# 7.2 Conditions for safe storage including any incompatibility

Store in sealed, impermeable containers (such as big bags, sacks, drums, containers, or silos). If stored in sealed impermeable packaging that prevents moisture ingress, no special storage facilities are required. However, the storage area must be paved and must not be natural ground (e.g., grass). If stored in packaging other than impermeable containers, the material must be kept in storage facilities and silos that meet the requirements for covered, enclosed silos or dry bulk storage areas (e.g., industrial charging bays).

## 7.3 Specific end use (s)

See identified uses of the substance – Section 16.5 of the Annex.

#### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 **Revision Date: -**

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Users should always consult their national or regional regulatory authorities for advice on current legal limits applicable to them. They should also verify whether these limits are legally binding or only recommended guidelines.

<b>Exposure limits</b>	
OEL	4 mg/m³ of inhalable dust from the substance
DNEL	0.3 mg/m³ of inhaled dust from the substance, which is achieved by maintaining the OEL below the occupational exposure limit value.
PNEC	Not required for water, soil, or sediment.  However, this may be updated based on the results of new studies.  The substance is not toxic to living organisms.

Under normal conditions of use, the substance does not emit contaminants into the air. OEL/BLV values are not provided.

#### Control banding approach

The control banding approach is not applied as a risk management measure for the uses of this substance listed in section 1.2 and in Table 1 of section 16.5 of the Annex.

#### 8.2 Exposure controls

To control potential exposure, dust generation and dispersion must be prevented. The use of appropriate protective measures is recommended. If visible dust dispersion occurs, hygienic and safety measures should be applied to prevent fine dust concentration exceeding 0.3 mg/m<sup>3</sup> in the workplace air.

#### 8.2.1 Adequate technical control measures

Regularly measure the occupational exposure limit on-site. If dust is generated during material handling, maintain dust levels within limits by using forced ventilation, local exhaust ventilation, or other measures.

#### 8.2.2 Individual protective measures, such as personal protective equipment

#### 8.2.2.1 Information on the use of protective equipment

Personal protective equipment must comply with good occupational hygiene practices and be consistent with control measures including engineering controls, ventilation, and isolation.

### 8.2.2.2 Equipment to provide adequate and appropriate protection

#### a) Eye/face protection

Mandatory use of safety goggles.

### b) Skin protection

Hand protection: Mandatory use of gloves resistant to mechanical damage and use of hand cream.

Other skin protection: Mandatory use of protective clothing and footwear.

#### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 Revision Date: -

## c) Respiratory protection

Mandatory use P2-type filters (high filtration efficiency).

#### d) Thermal hazard

Information not available.

#### 8.2.3 Environmental exposure controls

Dust emissions from ventilation systems or workplaces must be controlled to comply with environmental legislation requirements.

Limits for particulate matter (PM2.5 and PM10) in ambient air must be implemented (Directive 1999/30/EC and its subsequent amendments).

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Property	Information
Physical state	Solid (powder form)
Color	White, gray or black
Odor	Odorless, odor threshold: not relevant
Melting/freezing point	Expected >1500°C at 101.3 kPa
Boiling point	Not relevant (substance solid with melting point > 300 °C)
Flammability	Non-flammable (inorganic substance with silicon in highest oxidation state)
Lower and upper explosion limits	Not relevant (not applicable to inorganic substances)
Flash point	Not relevant (not applicable to inorganic substances)
Oxidizing properties	Non-oxidizing (EU method A.17)
Auto-ignition temperature	Not relevant
pH value	Not relevant (substance is solid at ambient temperature)
Kinematic viscosity	Not relevant (substance is solid at ambient temperature)
Water solubility	OECD T/D screening test: $\leq$ 0.25 mg/l at pH 6 (21.5 °C); 0.37 $\leq$ 0.72 mg/l at pH 8 (21.5 °C) OECD 105: 1.3 $\leq$ 5.3 mg/l at pH 5.9-7.6 (20 °C) MICROSILICA PARTICLES – SiO2 $<$ 1
n-octanol/water partition coefficient	Not relevant (inorganic substance)
Dissociation constant	Substance does not dissociate due to absence of relevant functional groups
Stability in organic solvents	Not relevant (inorganic substance)
Vapor pressure	Not relevant (melting point > 300°C)
Surface tension	Substance is not surface-active
Bulk density	$0 - 800 \text{ kg/m}^3$
Activity concentration index	≤ 1.0
Loss on ignition	≤ 4.0% w/w

#### 9.2 Other information

## 9.2.1 Information regarding physical hazard classes

No information available.

#### 9.2.2 Other safety characteristics

No information available.

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

 Telephone
 Fax
 Bank Account
 Reg. No.
 VAT No.
 e-mail

 +421 43 5804 111
 +421 43 5804 320
 SK4311000000002621706224
 36 389 030
 SK 2020131476
 ofz@ofz.sk

 Registration: Business Register, District Court of Žilina, Section: Sa, Insert No.: 10228/L
 10228/L

7/15

### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 Revision Date: -

# 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

The substance is stable under normal conditions of use, storage, and transport.

#### 10.2 Chemical stability

The substance is chemically stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Toxic gases of silicon tetrafluoride (SiF4) are formed upon contact with hydrofluoric acid.

At chloride (Cl<sup>-</sup>) concentrations above 0.3% by weight, a reaction occurs in the leachate resulting in the formation of HCl, which may cause corrosion of iron components and structural parts.

#### 10.4 Conditions to avoid

Avoid contact with hydrofluoric acid (HF).

#### 10.5 Incompatible materials

Hydrofluoric acid (HF).

#### 10.6 Hazardous decomposition products

No information available.

# 11. TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

The substance **is not** classified as hazardous under the CLP Regulation (1272/2008/EC) or the Dangerous Substances Directive (67/548/EEC).

Hazard class	Information
Acute toxicity	Based on the available data, the classification criteria are not met.
Skin corrosion/irritation	Based on the available data, the classification criteria are not met.
Serious eye damage/irritation	Based on the available data, the classification criteria are not met.
Respiratory or skin sensitisation	Based on the available data, the classification criteria are not met.
Germ cell mutagenicity	Based on the available data, the classification criteria are not met.
Carcinogenicity	Based on the available data, the classification criteria are not met.
Reproductive toxicity	Based on the available data, the classification criteria are not met.
Specific target organ toxicity (STOT) - single exposure	Based on the available data, the classification criteria are not met.
Specific target organ toxicity (STOT) - repeated exposure	Based on the available data, the classification criteria are not met.
Aspiration hazard	Based on the available data, the classification criteria are not met.

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

 Telephone
 Fax
 Bank Account
 Reg. No.

 +421 43 5804 111
 +421 43 5804 320
 \$K4311000000002621706224
 36 389 03

Registration: Business Register, District Court of Žilina, Section: Sa, Insert No.: 10228/L

**Reg. No. VAT No.** 36 389 030 SK 2020131476

e-mail ofz@ofz.sk

### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 Revision Date: -

#### 11.2 Information on other hazards

#### 11.2.1. Endocrine-disrupting properties

The substance does not contain any components at concentrations > 0.1 % that meet the definition of confirmed endocrine disruptors under any EU regulation.

#### 11.2.2. Other information

Information not available.

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

Due to its known physical and chemical properties, absence of acute toxic effects, and the widespread occurrence of silicon and silicates in nature, poorly soluble silica is not expected to exhibit any toxic effects on the environment.

#### 12.1.1 Toxicity to fish

OECD 203: LC<sub>50</sub> (96 h) for freshwater fish: 100 mg/l MICROXIL/MICROXIL+

#### 12.1.2 Toxicity to aquatic invertebrates

OECD 202: EC<sub>50</sub>/LC<sub>50</sub> (24 h) for freshwater invertebrates: 1000 mg/l (amorphous silicon dioxide)

OECD 211: EC<sub>50</sub> (21 days) unknown, test ongoing

#### 12.1.3 Toxicity to aquatic plants

OECD 201: EC<sub>50</sub>/LC<sub>50</sub> (72 h) for freshwater algae: 250 mg/l SiO<sub>2</sub>

ISO 10253: EC<sub>50</sub>/LC<sub>50</sub> (72 h) for marine algae: 1000 mg/l MICROXIL/MICROXIL+

OECD 201: EC<sub>10</sub>/LC<sub>10</sub> or NOEC for freshwater algae: 228 mg/l SiO<sub>2</sub>

OECD: EC<sub>10</sub>/LC<sub>10</sub> or NOEC for marine algae: 323 mg/l soluble silicate salt

#### 12.1.4 Toxicity to sediment organisms

Freshwater sediment organisms:

EC<sub>50</sub>/LC<sub>50</sub>: 50,000 mg/kg dry weight MICROXIL/MICROXIL+

EC<sub>10</sub>/LC<sub>10</sub> or NOEC: 49 mg/kg dry weight MICROXIL/MICROXIL+

#### 12.1.5 Toxicity to soil macroorganism

Low toxicity is assumed. Based on available exposure and effect data for MICROXIL/MICROXIL+, targeted ecotoxicological testing is currently not required.

#### 12.1.6 Toxicity to terrestrial plants

Low toxicity is assumed. Based on available exposure and effect data for MICROXIL/MICROXIL+, targeted ecotoxicological testing is currently not required.

#### 12.1.7 Toxicity to soil microorganisms

Low toxicity is assumed. Based on available exposure and effect data for MICROXIL/MICROXIL+, targeted ecotoxicological testing is currently not required.

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

 Telephone
 Fax
 Bank Account
 Reg. No.
 VAT No.
 e-mail

 +421 43 5804 111
 +421 43 5804 320
 SK4311000000002621706224
 36 389 030
 SK 2020131476
 ofz@ofz.sk

#### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 **Revision Date: -**

#### 12.1.8 Toxicity to aquatic microorganisms

Insufficient data available.

#### 12.1.9 Toxicity to birds

Low toxicity is assumed. Based on available exposure and effect data for MICROXIL/MICROXIL+, targeted ecotoxicological testing is currently not required.

#### 12.2 Persistence and degradability

Abiotic degradation: No relevant data available

Physical and photochemical elimination: No relevant data available

**Biodegradation:** Not applicable for inorganic substances.

### 12.3 Bioaccumulative potential

Low or no tendency.

#### 12.4 Mobility in soil

The substance is completely non-volatile and only moderately soluble in water under acidic, neutral, or slightly alkaline conditions (< 1000 mg/l). In undersaturated solutions (< 100 mg/l), silica exists as dissolved silicic acid (Si(OH)4), while in more concentrated solutions it may form dimers, trimers, colloidal solutions, or colloidal aggregates of various sizes, or appear as bulk insoluble material. Dissolved Si(OH)4 is known to be relatively mobile in soil. Adsorption of dissolved silica onto the inorganic fraction of soil is generally weak, and its affinity for soil organic matter is low to negligible.

#### 12.5 Results of PBT and vPvB assessment

The substance is inorganic and cannot be classified as PBT/vPvB.

It is not known to contain any impurities >0.1 % or <0.1 % that would qualify as PBT/vPvB.

#### 12.6 Properties of endocrine disruptors

The substance does not contain any components at concentrations >0.1 % that meet the definition of confirmed endocrine disruptors under any EU regulation.

#### 12.7 Other adverse effects

No other adverse effects identified.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

The substance is not listed as hazardous waste in the European Waste Catalogue (Decision 2000/532/EC) nor under Directive 2008/98/EC on waste.

Unused product should be recycled in accordance with national legislation.

Disposal must comply with environmental protection requirements and applicable waste disposal regulations.

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

+421 43 5804 111

+421 43 5804 320

SK4311000000002621706224

Reg. No. 36 389 030 VAT No. SK 2020131476 e-mail ofz@ofz.sk

#### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 Revision Date: -

#### 13.1.1 Disposal of the product/packaging

Information not available.

#### 13.1.2 Information on waste treatment

For disposal within the EU, the appropriate code according to the European Waste Catalogue (EWC) should be used. It is the responsibility of the polluter to assign waste codes specific to industrial sectors and processes according to the European Waste Catalogue (EWC).

#### 13.1.3 Information on waste water disposal

Do not discharge into drains or sewers.

## 13.1.4 Other disposal recommendations

Information not available.

#### 14. TRANSPORT INFORMATION

The substance is not classified as hazardous for transport. Transport is in accordance with ADR/TPED for road transport, RID for rail transport, IMDG for sea transport, ICAO/IATA for air transport, and ADN for inland waterways.

During normal transport—by rail or road—the material may be transported in bulk in tankers or closed containers. When packaged in sealed, impermeable big bags or other closed and impermeable packaging, it may be transported in open vehicles.

Contact with water must be avoided during transport.

#### 14.1. UN number or Identification Number

Not applicable.

# 14.2. UN proper Shipping Name

Not applicable.

#### 14.3. Transport Hazard Class(es)

Not applicable.

#### 14.4. Packing Group

Not applicable.

#### 14.5. Environment Hazards

Not classified as environmentally hazardous.

### 14.6. Special precautions for user

None.

### 14.7. Bulk Transport According to IMO Instruments

#### Not applicable.

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

 Telephone
 Fax
 Bank Account
 Reg. No.
 VAT No.
 e-mail

 +421 43 5804 111
 +421 43 5804 320
 SK4311000000002621706224
 36 389 030
 SK 2020131476
 ofz@ofz.sk

#### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 Revision Date: -

#### 15. REGULATORY INFORMATION

#### 15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

#### **EU regulations:**

Regulation (EC) No 1907/2006 REACH

Regulation (EC) No 1272/2008 CLP

Commission Regulation (EU) 2020/878 amending Annex II to Regulation (EC) No 1907/2006 (REACH)

Dangerous Substances Directive 67/548/EEC

Dangerous Preparations Directive 1999/45/EC

Commission Decision 2000/532/EC (European Waste Catalogue)

Directive 1999/30/EC relating to limit values for sulfur dioxide, nitrogen dioxide, nitrogen oxides, particulate matter and lead in ambient air

#### 15.2 Chemical safety assessment

Chemical Safety Report issued on 9 September 2010.

## 16. OTHER INFORMATION

#### 16.1 List of abbreviations used

Abbreviation	Meaning
ADR/RID	European Agreement concerning the International Carriage of Dangerous Goods by Road / Rail
BC code	Code of Safe Practice for Solid Bulk Cargoes, International Maritime Organization (IMO)
CAS No.	Numerical identifier assigned to chemical substances by the Chemical Abstracts Service (CAS)
CLP	Classification, Labelling and Packaging of substances and mixtures (Regulation (EC) No 1272/2008)
DNEL	Derived no-effect level
EC No.	European Commission number assigned to a chemical substance
EC <sub>50</sub>	Half maximal effective concentration
EAF	Electric Arc Furnace
EU	European union
IATA	Dangerous Goods Regulations of the International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
IMO	International Maritime Organization
LC50 a LC10	Lethal concentration at which 50% and 10% of the tested population die, respectively.
NPEL	Maximum Permissible Exposure Limits for gases, vapours, and aerosols with predominantly toxic effects in workplace air
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent, Bioaccumulative and Toxic substances
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
T/D test	Solubility test
UN No.	Four-digit number identifying hazardous goods, substances and articles (United Nations)
vPvB	Very persistent and Very bioaccumulative substances

#### 16.2 List of changes compared to the previous revision

Replaces document: KBU-OFZ-07-EN", Rev.7 issued on 12 December 2022.

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

 Telephone
 Fax
 Bank Account
 Reg. No.
 VAT No.
 e-mail

 +421 43 5804 111
 +421 43 5804 320
 SK4311000000002621706224
 36 389 030
 SK 2020131476
 ofz@ofz.sk

 Registration: Business Register, District Court of Žilina, Section: Sa, Insert No.: 10228/L
 10228/L

### Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 Revision Date: -

### 16.3 Key Resources

- 1. Chemical Safety Report issued on 9 September 2010
- 2. Regulation (EC) No 1907/2006 (REACH)
- 3. Regulation (EC) No 1272/2008 (CLP)
- 4. Regulation (EU) 2020/878 (Annex II to REACH Regulation)

#### 16.4 Other information

The information contained in this document corresponds to our current knowledge and complies with applicable legal requirements concerning information, packaging, and labelling of hazardous chemical substances. Compliance with the data contained in this Safety Data Sheet is the responsibility of the product user and does not exempt them from respecting all legislative, regulatory, and administrative texts concerning the product, safety, hygiene, and environmental protection.

#### **16.5** Annex

Table 1: Uses of the substance or preparation (Industrial worker uses)

Table 1. Uses of the substance of preparation (muustral worker uses)							
Identified Use	Substance supplied for the intended use	Process Category (PROC)	Product Category (PC)	Environmental Release Category (ERC)	Use Sector (SU)	Article Category (AC)	
Production of refractory materials: bricks, tiles, utensils for serving food, medical ceramics, clay pipes used in manufacturing processes at elevated temperatures, refractory concrete, special types of concrete / production of unshaped aluminum-silicate refractory materials, excluding silica fume for concrete, additive type II according to EN 13263.	as such or in mixture	1, 2, 3, 4, 5, 8a, 8b, 9, 19, 21, 23, 24	-	3,5	13 0 Other: NACE code: C23.20	2	
Production of refractory materials: bricks, tiles, food serving utensils, medical ceramics, clay pipes used in manufacturing processes at elevated temperatures, refractory concrete, special types of concrete / production of unshaped aluminum-silicate refractory materials.	as such or in mixture	1, 2, 3, 4, 5, 8a, 8b, 9, 19, 21, 23, 24	-	3,5	13 0 Other: NACE code: C23.20	2	
Additive to silicon carbide (SiC) for the production of accessories for firing furnaces.	as such or in mixture	4,5,8a,9,26	0 Other: Preparation of construction and buildings	3,5	13 0 Other: NACE code: C23.20	4	
Surface protection against wear	as such or in mixture	3, 4, 5, 7, 9, 10, 11, 19, 21, 23, 24	9a,9b	3,5	13	-	
Manufacture of special types of ceramics.	as such	1, 2, 3, 4, 5, 8a, 8b, 9, 19, 21, 23, 24	0 Other: Preparation of construction and buildings	3,5	13 0 Other: NACE code: C23.44	0 Other: Construction products and materials for exterior use: materials for wall construction, materials for surface treatment of roadways, ceramic, metal, plastic, and wooden construction materials, insulating materials.	

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

 Telephone
 Fax
 Bank Account
 Reg. No.
 VAT No.
 e-mail

 +421 43 5804 111
 +421 43 5804 320
 SK4311000000002621706224
 36 389 030
 SK 2020131476
 ofz@ofz.sk



# Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 Revision No.: 0 Revision Date: -

Cement industry: raw		22		2.5	13 0 Other: NACE code:	
material for clinker production	as such	22	-	3,5	C23	-
Production of fume/clinker/ including preparations: cement, hydraulic binder, low-strength material with controlled properties, concrete (ready mix or prefabricated), mortar, injection mortar, excluding silica fume for concrete, additive of type II according to EN 13263.	as such	3, 4, 5, 8a, 8b, 9	0 Other: Preparation of construction and buildings	3,5	13 0 Other: NACE code: C23	0 Other: Construction products and materials for exterior use: materials for wall construction, materials for surface treatment of roadways, ceramic, metal, plastic, and wooden construction materials, insulating materials.
Additive for filler putty to repair defects in wood, plaster, and walls, and for glass manufacturing.	as such	1, 2, 3, 4, 5, 8a, 8b, 9, 14, 19, 23	0 Other: Preparation of construction and buildings	3,5	13 0 Other: NACE code: C23.61 a C23.1	4 0 Other: Construction products and materials for exterior use: materials for wall construction, materials for surface treatment of roadways, ceramic, metal, plastic, and wooden construction materials, insulating materials.
Manufacture of shaft drilling products	as such	1,3,8a,8b	-	3,5	13	-
Manufacture of inorganic pigments	as such or in mixture	2,3	9a,9b,18	1	9 0 Other: NACE code: C20.12 a C20.30	13
Mixing component of monolithic refractory materials	as such	1, 2, 3, 4, 5, 8a, 8b, 9, 19	-	1	9	-
Manufacture of process auxiliaries used in the chemical industry	as such	2	20	2	9	-
Fertilizers: siliceous fertilizers in agriculture and anti-caking agents used in artificial fertilizers	as such	5,8b,11,19,26	12	10b	1	-
Manufacture of seals, gaskets, sealing materials and plugs; rubber materials; and rubber materials with coatings and chemical dyes	as such	1, 2, 3, 5, 6, 7, 8a, 8b, 9, 10, 13, 14, 15, 19, 23	32	3,6d	11 0 Other: NACE code:C22.19a C20.30	1,2,3,5,8,10 0 Other: Construction products
Manufacture of elastomeric polymers, thermoplastics, and plastics with coatings and chemical dyes	as such	1, 2, 3, 5, 6, 7, 8a, 8b, 9, 10, 13, 14, 15, 19, 23	32	3,6c	12 0 Other: NACE code: C22.20a C20.30	1,2,3,5,8,10 0 Other: Construction products
Use of the substance as an intermediate	as such	1	19	6a	9	-
Manufacture of putties, glues, and adhesives	as such or in mixture	3, 4, 5, 7, 8b, 9, 10, 11, 19	1,9a,9b	2	-	-
Component in mixing refractory materials	as such or in mixture	4, 5, 8a, 9, 14, 19, 21, 23, 24, 26	5	-	-	-
Manufacture of thinners, detergents, cleaning agents, and plaster	as such or in mixture	2, 3, 5, 8a, 9, 10	35,9a,9b	2	-	-
Use by professional workers in construction and building works (e.g. chemical substances used in construction; cement, hydraulic binders, lowstrength materials with controlled properties; soil stabilization and improvement; mineral fillers for asphalt pavements and asphalt products; sprayed concrete in tunnels), excluding silica fume in concrete, additive type II according to EN 13263	as such or in mixture	1, 2, 3, 5, 7, 8a, 8b, 9, 10, 11, 13, 15, 19, 26	9b 0 Other: Road construction (asphalt and asphalt products)	10a	-	-

OFZ, a. s., Široká 381, 027 41 Oravský Podzámok, Slovakia

 Telephone
 Fax
 Bank Account
 Reg. No.
 VAT No.
 e-mail

 +421 43 5804 111
 +421 43 5804 320
 SK4311000000002621706224
 36 389 030
 SK 2020131476
 ofz@ofz.sk



# Silica fume MICROXIL and Silica fume MICROXIL+

(prepared according to Annex II of Regulation EP and Council 1907/2006/EC and Commission Regulations (EU) 2020/878)

Number: KBU-010-EN Date of issue: 10 March 2025 **Revision No.:** 0 **Revision Date: -**

Manufacture of basic metals including alloys and coated alloys with chemical dyes	as such or in mixture	1, 2, 3, 4, 5, 7, 8a, 8b, 9, 10, 13, 15, 19, 22, 26	7	5	-	-
Professional use of glues and adhesives	in mixture	8a,8b,9,11,13,19	1	8f	-	-
Consumer use of glues and adhesives	in mixture	-	1	8f	-	-

**Edited by:** Approved by:

Milan Harcek Zuzana Bohúňová

technical director - signed QHSE manager - signed